

# VM MIGRATION IN INNER CLOUD ON THE BASIS OF CLOUD LOAD BALANCING IN CLOUD COMPUTING USING MODIFIED ROUND-ROBIN

MAMTA RANI PG Scholar, CED, Dr. APJ Abdul Kalam University Indore, M.P., India E mail –  
mammtarani14@gmail.com

LOKENDRA SONGARE Assistant Professor, CED, Dr. APJ Abdul Kalam University Indore,  
M.P., India E mail - lokendrasinghsongare@aku.ac.in

## ABSTRACT

Functionality of load balancing is divided into two function first will be allocation of resources and second provisioning of resources along with task scheduling among distributed system. Many load-balancing algorithms are used for balancing load of cloud computing such as FCFS, Round Robin, Throttled, Equal load share etc. Each algorithm has some disadvantage. We will implement VM migration on the basis of cloud load, into other inner cloud. We also calculate load of each inner cloud. In this paper, main focus on VM migration and implement cloud load balancing algorithm in inner cloud. We will implement VM migration and cloud load on java using CloudSim simulator.

**Keywords:** Cloud computing, Virtualization, Cloud load balancing

**INTRODUCTION:** One of the initial steps toward cloud computing is incorporating virtualization, which is separating the hardware from the software. In the past, transitions of this magnitude meant rewriting code, such as the transition from the mainframe to UNIX. Fortunately, the transition to VMware does not require the rewrite of code, and this has fueled the speed of the move toward virtualization software. There still will be challenges in this transition but, overall, the consolidation of servers into the virtual world has been fairly rapid with many applications making a seamless transition.

Job Scheduling is a process of allocating jobs onto available resources in time. It is also defined as the process of finding an efficient mapping of tasks to the suitable resources so that the execution can be completed with the satisfaction of some objective functions. The objective functions could be such as minimization of execution time as specified by customers and maximization of resource utilization as specified by service providers. Efficiency of scheduling algorithm directly affects the performance of the system with respect to delivered Quality of Service. In short, more efficient is the scheduling algorithm, better is the Quality of Service delivered. Every Scheduling problem has three important elements.

They are:-

**Machine Configuration:** A single machine with a single or multiple processors or a cluster of machines with a single or multiple processors in each machine etc.

**Optimization Criterion:** It defines the objective(s) of the scheduling algorithm e.g. reducing makespan, minimizing response time, minimizing resource cost etc.

**Set of constraints and characteristics:** The scheduling of tasks may be dependent on some other tasks or independent of each other, thus defining a certain execution order and thus a certain set of constraints.

VMware's vSphere satisfies the initial step of virtualization, the separation of the hardware and the software. The next step is adding some of the many cloud applications that include how to charge-backs and other application software.

These cloud-like capabilities include billing for usage, the ability to do self-service, and many others. Charging for consumption, even if it is internal, will lead to better management, with the ability to keep track of what services the consumer is utilizing. In addition, with cloud computing, there is the ability to program in more self-service by the end user in order to keep costs down.

The various objectives of optimization criteria can be [2]:

- **CPU Utilization:**-The total percentage of time for which CPU was utilized or used i.e. was not idle.
- **Throughput:**-Total no. of tasks executed (or requests served) per unit time.
- **Response Time:**-The time spent by a request in the waiting queue till it gets the first time to use the CPU.
- **Waiting Time:**-The total time spent by the request waiting in the ready queue after the first response from CPU.
- **Turnaround Time:**-The total time taken by a request to get completely served, including its response time, waiting time and service time.
- **Fairness:**-The principle that states that every request should get equal share of CPU time.
- **Resource Cost:** The total cost of the resources acquired or used for the servicing of requests by various cloud consumers. The main goal is to maximize the CPU Utilization, maximize the Throughput, minimize the Response Time, minimize the Waiting time, minimize the Turnaround Time, minimize the Resource Cost and obey the Fairness principle.

## 1. LITERATURE REVIEW

Mohamed Riduan Abid et al. [1] In this paper they presented the drivers behind the stringent need for a load balancer in Inter-Cloud environments, and delineated its strong correlation with virtualization. We proposed a novel VM migration scheme inspired from the mobile computing handoff mechanism. Besides, we presented a blue-print, that can be easily adopted in academia, for deploying a real-world Inter-Cloud testbed using open-source software. The Inter-Cloud testbed can be used to further investigate Inter-Cloud Load-balancing relevant research issues, e.g., VMs live Migration.

In paper [7] a brand new VM fill up Balancing Algorithm is actually Weighted Active Monitoring populate Balancing Algorithm applying CloudSim tools, due to the Data center to help efficiently load balance requests between ones exhibited virtual devices assigning the weight, in order to achieve far better performance parameters. Here VMs associated with different processing powers along with the tasks/requests usually are designated to perhaps issued on all-powerful VM and then on the lowest so on.

In paper [8] author proposed a good algorithm can be ant colony optimization that random optimization search approach is usually obtained pertaining to allocating your current incoming job on the virtual machine.

In Current Scenario, with an environment of mobile cloud the task is divided and disseminated into same size of small jobs i.e. Cloudlets. These Cloudlets as well as Virtual Machines are scheduled according to the various scheduling policy for e.g. FCFS, Round Robin etc. Generally in Cloud Computing scenario user submit the task to be performed / executed. Cloud Coordinator (CC) [2] divides the task into equal sized cloudlets and passes it to Data Center (DC). Normally it takes a lot of time because the cloudlets are processed one at a time in FCFS manner as and when they reach to VM. VM executes the cloudlets present in the queue as they reach the VM's. Basically this default job scheduling policy is extremely Time Consuming, Cost insensitive and inefficient.

## 2. PROBLEM IDENTIFICATION:

- a. Cloud computing is efficient and scalable but preserving the soundness of processing so many roles within the cloud computing environment is an awfully elaborate crisis with load balancing receiving so much attention for researchers.
- b. Due to the fact the job arrival pattern will not be predictable and the capacities of each and every node within the cloud differ, for load balancing trouble, workload manipulate is significant to make stronger method efficiency and keep balance.
- c. Load balancing schemes depending on whether the method dynamics are essential can also be both static and dynamic.
- d. Static schemes don't use the method expertise and are much less elaborate while dynamic schemes will deliver additional costs for the approach however can alternate as the method reputation alterations.
- e. A dynamic scheme is used here for its flexibility.

## Performance Evolution

Proposed System perform the following steps:

1. Calculate the cost of each task.
2. Sort the task according to the following parameters
  - a. CPU
  - b. RAM
  - c. Bandwidth
  - d. Storage
3. Also arrange the VM according to the following parameters
  - a. CPU
  - b. RAM
  - c. Bandwidth
  - d. Storage
4. Check the status of Each VM.
5. Schedule the sorted VMs on the basis of sorted task
6. Calculate throughput, response time of each task

### 3. CLOUDSIMSIMULATOR

CloudSim [12] is the many efficient tool you can use with regard to modeling regarding Cloud. during your current lifecycle of an Cloud, CloudSim allows VMs for you to be managed coming from hosts that will in return are usually managed by data centers. CloudSim offers architecture inside four uncomplicated entities. These types of entities offer consumer to set-up the basic cloud computing environment as well as measure your effectiveness involving fill up Balancing algorithms.. Data centers entity features the responsibility of providing Infrastructure level solutions for the Cloud Users. They act as a home to help a lot of Host Entities or maybe a lot of instances hosts' entities aggregate to help application form the solitary Datacenter entity. Hosts with Cloud are usually Physical Servers. The idea have pre-configured processing capabilities. Host is actually responsible regarding providing Software level SERVICE towards Cloud Users. Hosts have their particular storage and memory. Processing features regarding hosts is usually expressed throughout MIPS (million instructions per second)

#### 4. CONCLUSION:

This paper presents a concept of Cloud Computing along with research challenges in loadbalancing. It also focus on merits and demerits of the cloud computing. Major thrust is given on the study of loadbalancing algorithm, followed by a comparative survey of these above mentioned algorithms in cloud computing with respect to stability, resource utilization, static or dynamicity, cooperative or non-cooperativeness and process migration. This paper aims towards the establishment of performance equalitative analysis on existing VM loadbalancing algorithm and then implemented in CloudSim and java language.

#### REFERENCES:

- [1] Mohamed Riduan Abid, Moulay Idriss El Ouadghiri, Michael Gerndt “Virtual Machines’ Load-Balancing in Inter-Clouds” 2016 4th International Conference on Future Internet of Things and Cloud Workshops, © 2016 IEEE DOI 10.1109/W-FiCloud.2016.35
- [2] Rajkumar somani, Jyotsana Ojha, “A Hybrid approach for Vm loadbalancing in cloud using cloudsim”, 2014, International Journal of Science, Engineering and Technology Research (IJSETR), Volume 3, Issue 6, June 2014
- [3] Ritu Kapur, “A Cost Effective approach for Resource Scheduling in Cloud Computing”, 2015, IEEE International Conference on Computer, Communication and Control (IC4-2015).
- [4] Pooja Samal and Pranati Mishra, “Analysis of Variants in Round Robin Algorithms for Load Balancing in Cloud Computing”, (IJCSIT) International Journal of Computer Science and Information Technologies, Volume 4(3), 2013.
- [5] Dr. Rakesh Rathi<sup>1</sup>, Vaishali Sharma<sup>2</sup> and Sumit Kumar Bole<sup>3</sup>, “Round Robin Data Center Selection in Single Region for Service Proximity Service Broker in Cloud Analyst”, International Journal of Computer & Technology, Volume 4 no. 2, March-April 2013.
- [6] Kaur S and Supriya Kinger<sup>2</sup>, “Analysis of Load Balancing Techniques in Cloud Computing”, International Journal of Computers & Technology, volume 4, No. 2, March-April 2013.
- [7] Bhatiya Wickremasinghe<sup>1</sup>, Rodrigo N. Calheiros<sup>2</sup> and Dr. Rajkumar Buyya<sup>3</sup>, “CloudAnalyst: A CloudSim-based Visual Modeller for Analysing Cloud Computing Environments and Applications”, IEEE Computer Society, 2010.
- [8] Kunal Mahurkar<sup>1</sup>, Shraddha Katore<sup>2</sup> and Suraj Bhaisade<sup>3</sup>, Pratikawale<sup>4</sup>, “Reducing Cost of Provisioning in Cloud Computing”, International Journal of Advance in Computer Science and Cloud Computing, Volume-1, Issue-2, nov.-2013,
- [9] Dr. Rakesh Rathi<sup>1</sup>, Vaishali Sharma<sup>2</sup> and Sumit Kumar Bole<sup>3</sup>, “Round Robin Data Center Selection in Single Region for Service Proximity Service Broker in Cloud Analyst”, International Journal of Computer & Technology, Volume 4 no. 2, March-April 2013.
- [10] Bhatiya Wickremasinghe<sup>1</sup>, Rodrigo N. Calheiros<sup>2</sup> and Dr. Rajkumar Buyya<sup>3</sup>, “CloudAnalyst: A CloudSim-based Visual Modeller for Analysing Cloud Computing Environments and Applications”, IEEE Computer Society, 2010.

[11]. Jaspreet Kaur, “Comparison of load balancing algorithm in a Cloud”, International Journal of Engineering Research and Applications (IJERA), vol. 2, Issue 3, May-June 2012.

[12]. Syed Tauhid Zuheri<sup>1</sup>, Tamanna Shamrin<sup>2</sup> and Rusia Tanbin<sup>3</sup>, Firoj Mahmud<sup>4</sup>, “An Efficient Load Balancing Approach in Cloud Environment by using Round Robin Algorithm”, International Journal of Artificial and Mechatronics, volume 1, issue 5, 2013.

[13]. B. Santosh Kumar<sup>1</sup> and Dr. Latha Parthiban<sup>2</sup>, “An Implementation of Load Balancing Policy for Virtual Machines Associated with a Data Centre”, International Journal of Computer Science & Engineering Technology (IJCSET), volume 5 no. 03, March 2014

