



A TREK ON THE SECOND DEGREE CURVE

$$y^2 = 33x^2 + 1$$

Dr. J. Shanthi¹, A. Abinaya²

¹ Assistant Professor and Head, Department of Mathematics, Shrimati Indira Gandhi College
Affiliated to Bharathidasan University, Trichy-620 002, Tamil Nadu, India.

² PG Scholar, Department of Mathematics, Shrimati Indira Gandhi College, Affiliated to
Bharathidasan University, Trichy-620 002, Tamil Nadu, India.

ABSTRACT:

This paper deals with the problem of obtaining non-zero distinct integer solutions to the non-homogeneous binary quadratic equations with two unknowns $y^2 = 33x^2 + 1$. A few interesting properties among the solutions are given. The construction of second order Ramanujan Numbers is illustrated. Employing the linear combination among the solutions of the given equation, integer solutions for other choices of hyperbola & parabola and a few relations among special polygonal numbers are obtained.

KEYWORDS:

Binary quadratic, Non-homogeneous quadratic, Pell equation, Positive Pell equation, Hyperbola.

2010 Mathematics Subject Classification: 11D09



INTRODUCTION:

The binary quadratic equation of the form $y^2 = Dx^2 + 1$, where D is non-square positive integer has been studied by various mathematicians for its non-trivial integral solutions when D takes different integral values [1-4]. For an extensive review of various problems, one may refer [5-13]. In this communication, yet another interesting hyperbola given by $y^2 = 33x^2 + 1$ is considered and infinitely many integer solutions are obtained. A few interesting properties among the solutions are obtained. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbola and parabola.

METHOD OF ANALYSIS:

The Positive Pell equation representing hyperbola under consideration is

$$y^2 = 33x^2 + 1 \quad (1)$$

Whose smallest positive integer solutions by trial and error

$$x_0 = 4 ; y_0 = 23$$

Whose general solution is given by

$$x_n = \frac{1}{2\sqrt{33}}g_n ; y_n = \frac{1}{2}f_n$$

Where

$$f_n = (23 + 4\sqrt{33})^{n+1} + (23 - 4\sqrt{33})^{n+1}$$

$$g_n = (23 + 4\sqrt{33})^{n+1} - (23 - 4\sqrt{33})^{n+1}$$

Applying the Brahmagupta lemma between (x_0, y_0) & (x_n, y_n) the other solution of (1) are given by



$$x_{n+1} = \frac{23}{2\sqrt{33}}g_n + \frac{4}{2}f_n$$

$$y_{n+1} = \frac{23}{2}f_n + \frac{4\sqrt{33}}{2}g_n$$

The recurrence relation satisfied by x and y are given by

$$x_{n+2} - 46x_{n+1} + x_n = 0$$

$$y_{n+2} - 46y_{n+1} + y_n = 0$$

A few numerical examples are given in the following table.1

Table: 1 Numerical values

n	x_n	y_n
0	4	23
1	184	1057
2	8460	48599
3	388976	2234497
4	17884436	1027382630
5	71148768	4723725601

From the above table we observe some interesting properties among the solutions which are presented below:



1.Relations between solutions:

- $x_{n+3} - 46x_{n+2} + x_{n+1} = 0$
- $2y_{n+1} - \frac{1}{2}[x_{n+2} - 23x_{n+1}] = 0$
- $2y_{n+2} - \frac{1}{2}[23x_{n+2} - x_{n+1}] = 0$
- $2y_{n+3} - \frac{1}{2}[1057x_{n+2} - 23x_{n+1}] = 0$
- $2x_{n+2} - \frac{1}{23}[x_{n+1} + x_{n+3}] = 0$
- $2y_{n+1} - \frac{1}{92}[x_{n+3} - 1057x_{n+1}] = 0$
- $2y_{n+2} - \frac{1}{92}[23x_{n+3} - 23x_{n+1}] = 0$
- $2y_{n+3} - \frac{1}{92}[1057x_{n+3} - x_{n+1}] = 0$
- $x_{n+2} - 23x_{n+1} - 4y_{n+1} = 0$
- $x_{n+3} - 1057x_{n+1} - 184y_{n+1} = 0$
- $y_{n+2} - 23y_{n+1} - 132x_{n+1} = 0$
- $2y_{n+3} - 2114y_{n+1} - 12144x_{n+1} = 0$
- $x_{n+2} - \frac{1}{23}[x_{n+1} + 4y_{n+2}] = 0$
- $x_{n+3} - x_{n+1} - 8y_{n+2} = 0$
- $y_{n+1} - \frac{1}{23}[y_{n+2} - 132x_{n+1}] = 0$
- $y_{n+3} - \frac{1}{23}[1057y_{n+2} + 132x_{n+1}] = 0$
- $x_{n+2} - \frac{1}{1057}[23x_{n+1} + 4y_{n+3}] = 0$
- $x_{n+3} - \frac{1}{1057}[x_{n+1} + 184y_{n+3}] = 0$
- $y_{n+1} - \frac{1}{1057}[y_{n+3} - 6072x_{n+1}] = 0$
- $y_{n+2} - \frac{1}{1057}[23y_{n+3} - 132x_{n+1}] = 0$



2. Each of the following expressions represents a Perfect Square

- $2y_{2n+1} + 2$
- $[92y_{2n+2} - 2y_{2n+3}] + 2$
- $\frac{1}{23}[2y_{2n+2} - 264x_{2n+1}] + 2$
- $[46y_{2n+2} - 264x_{2n+2}] + 2$
- $\frac{1}{23}[2114y_{2n+2} - 264x_{2n+3}] + 2$
- $\frac{1}{1057}[2y_{2n+3} - 12144x_{2n+1}] + 2$
- $\frac{1}{23}[46y_{2n+3} - 12144x_{2n+2}] + 2$
- $[2114y_{2n+3} - 12144x_{2n+43}] + 2$
- $\frac{1}{4}[46x_{2n+1} - 2x_{2n+2}] + 2$
- $\frac{1}{184}[2x_{2n+3} - 2114x_{2n+1}] + 2$
- $\frac{1}{4}[46x_{2n+3} - 2114x_{2n+2}] + 2$

3. Each of the following expressions represents a Cubical Integers

- $2y_{3n+2} + 6y_n$
- $[92y_{3n+3} - 2y_{3n+4}] + 3[92y_{n+1} - 2y_{n+2}]$
- $\frac{1}{23}[[2y_{3n+3} - 264x_{3n+2}] + 3[2y_{n+1} - 264x_n]]$
- $[46y_{3n+3} - 264x_{3n+3}] + 3[46y_{n+1} - 264x_{n+1}]$
- $\frac{1}{23}[[2114y_{3n+3} - 264x_{3n+4}] + 3[2114y_{n+1} - 264x_{n+2}]]$
- $\frac{1}{1057}[[2y_{3n+4} - 12144x_{3n+2}] + 3[2y_{n+2} - 12144x_n]]$
- $\frac{1}{23}[[46y_{3n+4} - 12144x_{3n+3}] + 3[46y_{n+2} - 12144x_{n+1}]]$
- $[2114y_{3n+4} - 12144x_{3n+4}] + 3[2114y_{n+2} - 12144x_{n+2}]$
- $\frac{1}{4}[[46x_{3n+2} - 2x_{3n+3}] + 3[46x_n - 2x_{n+1}]]$
- $\frac{1}{184}[[2x_{3n+4} - 2114x_{3n+2}] + 3[2x_{n+2} - 2114x_n]]$



$$\triangleright \frac{1}{4} [[46x_{3n+4} - 2114x_{3n+3}] + 3[46x_{n+2} - 2114x_{n+1}]]$$

4. Each of the following expressions represents a Bi-quadratic Integer

- $\triangleright 2y_{4n+3} + 8y_{2n+1} + 6$
- $\triangleright [92y_{4n+4} - 2y_{4n+5}] + 4[92y_{2n+2} - 2y_{2n+3}] + 6$
- $\triangleright \frac{1}{23} [[2y_{4n+4} - 264x_{4n+3}] + 4[2y_{2n+2} - 264x_{2n+1}]] + 6$
- $\triangleright [46y_{4n+4} - 264x_{4n+4}] + 4[46y_{2n+2} - 264x_{2n+2}] + 6$
- $\triangleright \frac{1}{23} [[2113y_{4n+4} - 264x_{4n+5}] + 4[2114y_{2n+2} - 264x_{2n+3}]] + 6$
- $\triangleright \frac{1}{1057} [[2y_{4n+5} - 12144x_{4n+3}] + 4[2y_{2n+3} - 12144x_{2n+1}]] + 6$
- $\triangleright \frac{1}{23} [[46y_{4n+5} - 12144x_{4n+4}] + 4[46y_{2n+3} - 12144x_{2n+2}]] + 6$
- $\triangleright [2114y_{4n+5} - 12144x_{4n+5}] + 4[2114y_{2n+3} - 12144x_{2n+3}] + 6$
- $\triangleright \frac{1}{4} [[46x_{4n+3} - 2x_{4n+4}] + 4[46x_{2n+1} - 2x_{2n+2}]] + 6$
- $\triangleright \frac{1}{184} [[2x_{4n+5} - 2114x_{4n+3}] + 4[2x_{2n+3} - 2114x_{2n+1}]] + 6$
- $\triangleright \frac{1}{4} [[46x_{4n+5} - 2114x_{4n+4}] + 4[46x_{2n+3} - 2114x_{2n+2}]] + 6$

5. Each of the following expressions represents a Quintic Integer

- $\triangleright [2y_{5n+4} + 5(2y_n)^3 - 5(2y_n)]$
- $\triangleright [92y_{5n+5} - 2y_{5n+6}] + 5[92y_{n+1} - 2y_{n+2}]^3 - 5[92y_{n+1} - 2y_{n+2}]$
- $\triangleright \frac{1}{23} [2y_{5n+5} - 264x_{5n+4}] + 5[\frac{1}{23}(2y_{n+1} - 264x_n)]^3 - 5[\frac{1}{23}(2y_{n+1} - 264x_n)]$
- $\triangleright [46y_{5n+5} - 264x_{5n+5}] + 5[46y_{n+1} - 264x_{n+1}]^3 - 5[46y_{n+1} - 264x_{n+1}]$
- $\triangleright \frac{1}{23} [2114y_{5n+5} - 264x_{5n+6}] + 5[\frac{1}{23}(2114y_{n+1} - 264x_{n+2})]^3 - 5[\frac{1}{23}(2114y_{n+1} - 264x_{n+2})]$
- $\triangleright \frac{1}{1057} [2y_{5n+6} - 12144x_{5n+4}] + 5[\frac{1}{1057} (2y_{n+2} - 12144x_n)]^3 - 5[\frac{1}{1057} (2y_{n+2} - 12144x_n)]$



- $\frac{1}{23} [46y_{5n+6} - 12144x_{5n+5}] + 5[\frac{1}{23} (46y_{n+2} - 12144x_{n+1})]^3 - 5[\frac{1}{23} (46y_{n+2} - 12144x_{n+1})]$
- $[2114y_{5n+6} - 12144x_{5n+6}] + 5[2114y_{n+2} - 12144x_{n+2}]^3 - 5[2114y_{n+2} - 12144x_{n+2}]$
- $\frac{1}{4} [46x_{5n+4} - 2x_{5n+5}] + 5[\frac{1}{4} (46x_n - 2x_{n+1})]^3 - 5[\frac{1}{4} (46x_n - 2x_{n+1})]$
- $\frac{1}{184} [2x_{5n+6} - 2114x_{5n+4}] + 5[\frac{1}{184} (2x_{n+2} - 2114x_n)]^3 - 5[\frac{1}{184} (2x_{n+2} - 2114x_n)]$
- $\frac{1}{4} [46x_{5n+6} - 2114x_{5n+5}] + 5[\frac{1}{4} (46x_{n+2} - 2114x_{n+1})]^3 - 5[\frac{1}{4} (46x_{n+2} - 2114x_{n+1})]$

6. Construction of Second order Ramanujan numbers:

The Process of obtaining Second order Ramanujan numbers from suitable choices of x and y is illustrated through an example below:

Consider,

$$x_1 = 184$$

$$= 184 \times 1 = 2 \times 92 = 4 \times 46 = 8 \times 23$$

$$A = B = C = D$$

From A = B, Consider the relation

$$(184 + 1)^2 + (92 - 2)^2 = (184 - 1)^2 + (92 + 2)^2$$

$$\Rightarrow (185)^2 + (90)^2 = (183)^2 + (94)^2 = \mathbf{42325}$$

From A = C, Consider the relation

$$(184 + 1)^2 + (46 - 4)^2 = (184 - 1)^2 + (46 + 4)^2$$

$$\Rightarrow (185)^2 + (42)^2 = (183)^2 + (50)^2 = \mathbf{35989}$$

From A = D, Consider the relation

$$(184 + 1)^2 + (8 - 23)^2 = (184 - 1)^2 + (8 + 23)^2$$

$$\Rightarrow (185)^2 + (-15)^2 = (183)^2 + (31)^2 = \mathbf{34450}$$



From $B = C$, Consider the relation

$$(2 + 92)^2 + (4 - 46)^2 = (2 - 92)^2 + (4 + 46)^2$$

$$\Rightarrow (94)^2 + (-42)^2 = (-90)^2 + (50)^2 = \mathbf{10600}$$

From $B = D$, Consider the relation

$$(2 + 92)^2 + (8 - 23)^2 = (2 - 92)^2 + (8 + 23)^2$$

$$\Rightarrow (94)^2 + (-15)^2 = (90)^2 + (31)^2 = \mathbf{9061}$$

From $C = D$, Consider the relation

$$(4 + 46)^2 + (8 - 23)^2 = (4 - 46)^2 + (8 + 23)^2$$

$$\Rightarrow (50)^2 + (-15)^2 = (-42)^2 + (31)^2 = \mathbf{2725}$$

Thus the numbers 42345, 35989, 34450, 10600, 9061, 2725 are Second order Ramanujan numbers.

REMARKABLE OBSERVATIONS:

1. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbola which are presented in table 2 below

Table: 2 Hyperbola

S.No	Hyperbola	(X,Y)
1.	$528X^2 - Y^2 = 528$	$X = y_n$ $Y = (y_{n+1} - 23y_n)$
2.	$1117248X^2 - Y^2 = 1117248$	$X = y_n$ $Y = (y_{n+2} - 1057y_n)$



3.	$X^2 - 33Y^2 = 1$	$X = y_n$ $Y = x_n$
4.	$529X^2 - 33Y^2 = 529$	$X = y_n$ $Y = (x_{n+1} - 4y_n)$
5.	$1117249X^2 - 33Y^2 = 1117249$	$X = y_n$ $Y = (x_{n+2} - 184y_n)$
6.	$528X^2 - Y^2 = 528$	$X = (46y_{n+1} - y_{n+2})$ $Y = (23y_{n+2} - 1057y_{n+1})$
7.	$529X^2 - 17457Y^2 = 529$	$X = (y_{n+1} - 132x_n)$ $Y = x_n$
8.	$X^2 - 33Y^2 = 1$	$X = (23y_{n+1} - 132x_{n+1})$ $Y = (23x_{n+1} - 4y_{n+1})$
9.	$X^2 - 33Y^2 = 529$	$X = (1057y_{n+1} - 132x_{n+2})$ $Y = (23x_{n+2} - 184y_{n+1})$
10.	$X^2 - 368692173Y^2 = 1117249$	$X = (y_{n+2} - 6072x_n)$ $Y = x_n$
11.	$X^2 - 33Y^2 = 529$	$X = (23y_{n+2} - 6072x_{n+1})$ $Y = (1057x_{n+1} - 4y_{n+2})$
12.	$X^2 - 33Y^2 = 1$	$X = (1057y_{n+2} - 6072x_{n+2})$ $Y = (1057x_{n+2} - 184y_{n+2})$



13.	$X^2 - 33Y^2 = 16$	$X = (23x_n - 2x_{n+1})$ $Y = x_n$
14.	$X^2 - 1117248Y^2 = 33856$	$X = (x_{n+2} - 1057x_n)$ $Y = x_n$
15.	$X^2 - Y^2 = 528$	$X = (759x_{n+2} - 34881x_{n+1})$ $Y = (6072x_{n+1} - 132x_{n+2})$

2. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabola which are presented in Table 3 below

Table: 3 Parabola

S. No	Parabola	(X,Z)
1.	$264X - Z^2 = 264$	$X = y_{2n+1}$ $Z = (y_{n+1} - 23y_n)$
2.	$558624X - Z^2 = 558624$	$X = y_{2n+1}$ $Z = (y_{n+2} - 1057y_n)$
3.	$X - 66Z^2 = 1$	$X = y_{2n+1}$ $Z = x_n$
4.	$529X - 66Z^2 = 529$	$X = y_{2n+1}$ $Z = (x_{n+1} - 4y_n)$
5.	$1117249X - 66Z^2 = 1117249$	$X = y_{2n+1}$ $Z = (x_{n+2} - 184y_n)$



6.	$528X - 2Z^2 = 528$	$X = (46y_{2n+2} - y_{2n+3})$ $Z = (23y_{n+2} - 1057y_{n+1})$
7.	$X - 3036Z^2 = 46$	$X = (2y_{2n+2} - 264x_{2n+1})$ $Z = x_n$
8.	$X - 66Z^2 = 1$	$X = (23y_{2n+2} - 132x_{2n+2})$ $Z = (23x_{n+1} - 4y_{n+1})$
9.	$X - 33Z^2 = 1058$	$X = (48622y_{2n+2} - 6072x_{2n+3})$ $Z = (46x_{n+2} - 368y_{n+1})$
10.	$X - 69762Z^2 = 1057$	$X = (y_{2n+3} - 6072x_{2n+1})$ $Z = x_n$
11.	$46X - 66Z^2 = 1058$	$X = (23y_{2n+3} - 6072x_{2n+2})$ $Z = (1057x_{n+1} - 4y_{n+1})$
12.	$X - 66Z^2 = 1$	$X = (1057y_{2n+3} - 6072x_{2n+3})$ $Z = (1057x_{n+2} - 184y_{n+2})$
13.	$X - 264Z^2 = 4$	$X = (23x_{2n+1} - x_{2n+2})$ $Z = x_n$
14.	$X - 12144Z^2 = 184$	$X = (x_{2n+3} - 1057x_{2n+1})$ $Z = x_n$
15.	$33X - Z^2 = 264$	$X = (46x_{2n+3} - 2114x_{2n+2})$ $Z = (6072x_{n+1} - 132x_{2n+2})$



CONCLUSION:

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the positive pell equation $y^2 = 33x^2 + 1$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of positive pell equations and determine the integer solutions along with suitable properties.

REFERENCES:

- [1] David. M Burton., "Elementary Number Theory", Tata MC Graw Hill Publishing Company Limited, New Delhi, 2002.
- [2] Dickson L.E., "History of Theory of Numbers", chelsea Publishing company, Newyork, 1952, vol-2.
- [3] Dr. M.A. Gopalan, S.Vidhyalakshmi, J.Shanthi, M.Devi- "A study on the Hyperbola $-y^2 = 87x^2 + 1$ ". "International Research Journal of Education and Technology, Vol 05, Issue 03, Pg.No.: 18-32, Issue No.: 2581-7795, March 2023.
- [4] T. Mahalakshmi, J. Shanthi, "On the Negative pell equation $y^2 = 80x^2 - 31$ ", International Journal of Research Publication and Reviews, Volume 4, No 10, Pp 2178-2187, October2023.
- [5] T. Mahalakshmi, J. Shanthi, "On the Positive pell Equation $y^2 = 80x^2 + 4$ ", International Journal of Research Publication and Reviews, Volume 4, No 10, Pp 2188-2195, October2023.
- [6] T. Mahalakshmi, J. Shanthi, "On the positive pell equation $y^2 = 80x^2 + 41$ ", International Journal of Research Publications and Reviews, Volume 4, No 10, Pp 2278-2285, October 2023.
- [7] T.Mahalakshmi, J.Shanthi, S.Madhumitha - "On the negative Pell equation $-y^2 = 80x^2 - 31$ ", International Journal of Research Publication and Reviews, Vol 04, Issue 10, Pg. No.: 2178-2187, Issue No.: 2582-7421, October 2023.



[8] Dr. T. Mahalakshmi, P.Sowmiya, "Observation on the Positive Pell Equation $x^2 = 42y^2 + 28$ ", International Journal of Research Publication and reviews, Vol 4, Page No: 5, 570-583, Issue No:2582-7421, May 2023.

[9] Dr. J. Shanthi, Ms. V Bahavathi, Dr.M.A. Gopalan, "On the Positive Pell Equation $y^2 = 35x^2 + 29$ ", International Journal of Enhanced Research in Science, Technology and Engineering, Vol 10, Issue 4, Page No: 40-48, April 2021.

[10] Shanthi J., Gopalan M.A.(2021) "A Study on the positive Pell Equation $y^2 = 42x^2 + 7$ ", International Research Journal of Education and Technology, ISSN:Vol 01, Issue 05, Page No:107-118 January 2021

[11] J. Shanthi, T. Mahalakshmi," On the Negative pell Equation $y^2 = 87x^2 - 6$ ", International Journal of Research Publication and Reviews, Volume 4, No 10, Pp 2337-2345, October 2023.

[12] J. Shanthi, T. Mahalakshmi," On the Negative pell Equation $y^2 = 87x^2 - 23$ ", International Journal of Research Publication and Reviews, Volume 4, No 10, Pp 2486-2494, October 2023.

[13] J. Shanthi, T. Mahalakshmi, "On the Positive pell Equation $y^2 = 87x^2 + 13$ ", International Journal of Research Publication and Reviews, Volume 4, No 10, Pp 2512-2521, October 2023.